



Measuring Wheels & Counter
Profession manufacture



TAIWAN COUNTER INDUSTRY CO., LTD.

Company Profile

Founded in 1976 ,Taiwan counter Industry Co.,Ltd is an experienced in tally counter and distance measuring wheel manufacturer , our products meet and exceed our customer's specifications and expectations .

Our products are from the beginning of the mold design, plastic injection, product assembly and each producing process all by ourselves to do it and we only select good raw materials to control our quality . Besides we have two brands that are “ Milky Way“ and” Universal “ and are marketing around the world .

Besides we also have the ability to make LED counter and enhance precision, Our tally counters are convenience . We accept customers' OEM & ODM order .

Main Products:

Hand &Desk Tally Counter,Bank Tally Counter,Machine Counter,Mesasuring Wheels, Measuring Counter



Measuring WHEELS

Big sight digital display
Size 7mm*4.5mm

LED

FEATURES

- Big sight digital display. Size 7mm*4.5mm
- Precise & Lightweight.
- Easy to carry & storage.
- Balanced, inline design.
- Sturdy Double-Fold handle with TPR pistol grip.
- Trigger brake and counter control at the handle.
- Re-set on the bottom.
- Hi-Traction TPR tire.
- Firm and solid kickstand.
- Certificate for CE,RoHS,SGS.

ORIGIN

Taiwan

MODEL

BWM08-LED

BWM08N-LED

BWM12-LED

BWM12N-LED

SPECIFICATIONS

- Working Voltage: 2.5V
- Rechargeable Li-ion Battery
- Can be used for 36 hours continuously
- LED Switch Function
- 2 Voltage Displays
(Low Battery, Fully Charged)



LED Display Function



USB Charging Function



Night Vision Function



BWM08-LED



BWM12-LED

NEW

Measuring WHEELS

Big sight digital display
Size 7mm*4.5mm

ORIGIN

Taiwan

MODEL

BWM12

FEATURES

- Big sight digital display. Size 7mm*4.5mm
- Precise & Lightweight.
- Easy to carry & storage.
- Balanced, inline design.
- Sturdy Double-Fold handle with TPR pistol grip.
- Trigger brake and counter control at the handle.
- Re-set on the bottom.
- Hi-Traction TPR tire.
- Firm and solid kickstand.

SPECIFICATIONS

- Measuring Capacity: 9999.9m or 9999.9ft
 - Minimum: 1 inch or 10cm
 - wheel Diameter: 12"(320mm)
 - Radius: 6"(160mm)
 - Expanded Size: 38-1/2"(980mm)
 - Storage Size: 20"(510mm)
 - Lightweight: 1650g
- Certificate for CE, RoHS, SGS.



Patented Folded Wrist Protection



Handle with Reset and Brake



Extra large screen



Carry Bag



Using metal chain to transmission

Measuring WHEELS (simple) | Big sight digital display Size 7mm*4.5mm

NEW

ORIGIN

Taiwan

MODEL

BWM12N

FEATURES

- Big sight digital display. Size 7mm*4.5mm
- Precise & Lightweight.
- Easy to carry & storage.
- Balanced, inline design.
- Sturdy Double-Fold handle with TPR pistol grip.
- Hi-Traction TPR tire.
- Firm and solid kickstand.

SPECIFICATIONS

- Measuring Capacity: 9999.9m or 9999.9ft
 - Minimum: 1 inch or 10cm
 - wheel Diameter: 12"(320mm)
 - Radius: 6"(160mm)
 - Expanded Size: 38-1/2"(980mm)
 - Storage Size: 20"(510mm)
 - Lightweight: 1590g
- Certificate for CE, RoHS, SGS.



Patented Folded Wrist Protection



Grip Ergonomics



Extra large screen



After Storage



Using metal chain to transmission



Kick-Stand



Carry Bag (optional)

Measuring WHEELS (simple) | Big sight digital display Size 7mm*4.5mm

ORIGIN

Taiwan

MODEL

BWM08N

FEATURES

- Big sight digital display. Size 7mm*4.5mm
- Precise & Lightweight.
- Easy to carry & storage.
- Balanced, inline design.
- Sturdy Double-Fold handle with TPR pistol grip.
- Re-set on the bottom.
- Hi-Traction TPR tire.
- Firm and solid kickstand.

SPECIFICATIONS

- Measuring Capacity: 9999.9m or 9999.9ft
- Minimum: 1 inch or 10cm
- wheel Diameter: 8"(208mm)
- Radius: 4"(104mm)
- Expanded Size: 39"(990mm)
- Storage Size: 19"(480mm)
- Lightweight: 1270g
- Certificate for CE, RoHS, SGS.



Patented Folded Wrist Protection



Elasticity buckle



Extra large screen



Using metal chain to transmission



Kick-Stand



Grip Ergonomics



After Storage



Carry Bag (optional)

Measuring WHEELS

Big sight digital display
Size 7mm*4.5mm

NEW

ORIGIN

Taiwan

MODEL

BWM08

FEATURES

- Big sight digital display. Size 7mm*4.5mm
- Precise & Lightweight.
- Easy to carry & storage.
- Balanced, inline design.
- Sturdy Double-Fold handle with TPR pistol grip.
- Trigger brake and counter control at the handle.
- Re-set on the bottom.
- Hi-Traction TPR tire.
- Firm and solid kickstand.

SPECIFICATIONS

- Measuring Capacity: 9999.9m or 9999.9ft
 - Minimum: 1 inch or 10cm
 - wheel Diameter: 8"(208mm)
 - Radius: 4"(104mm)
 - Expanded Size: 39"(990mm)
 - Storage Size: 19"(480mm)
 - Lightweight: 1310g
- Certificate for CE, RoHS, SGS.



Patented Folded Wrist Protection



Elasticity buckle



Extra large screen



Using metal chain to transmission



Handle with Reset and Brake



After Storage



Carry Bag

Measuring WHEELS

Superior quality and sturdy structure

Enable you to measure by yourself

Great savings in labor costs and time

You don't need a helper to hold the end of the tape for all indoor and outdoor measuring

The telescoping handle can be adjusted to fit individual

Especially suited to long distance measuring indoors and outdoors

Just put the wheel down and go and you'll discover that it's the easiest way to measure by using measuring wheels

The measuring length records up to 10000 feet(meters)or(1000 meters)

SPECIFICATIONS

PACKING	1PC/CORRUGATED BOARD BOX, 6PCS/CTN	PACKING	1PC/CORRUGATED BOARD BOX, 6PCS/CTN
N.W./G.W./CUFT	2.5KGS/6.3KGS/2.9'	N.W./G.W./CUFT	2.8KGS/6.6KGS/2.6'



WM-110



WM-100

PACKING	1PC/CORRUGATED BOARD BOX, 10PCS/CTN	PACKING	1PC/CORRUGATED BOARD BOX, 10PCS/CTN
N.W./G.W./CUFT	6.5KGS/11.8KGS/3'(DIY)	N.W./G.W./CUFT	7.0KGS/14.0KGS/3'(DIY)
PACKING	1PC/CORRUGATED BOARD BOX, 6PCS/CTN	PACKING	1PC/CORRUGATED BOARD BOX, 6PCS/CTN
N.W./G.W./CUFT	3.5KGS/8.6KGS/4'	N.W./G.W./CUFT	4.5KGS/10.5KGS/4.8'



WM-120



WM-130

Hand&Desk TALLY COUNTER

They are ideally used traffic surveys assembly line parts counting at exhibitions amusement parks and other numerous counting jobs.

Desk tally counter with special mounting base is designed for desk or clipboard mounting

SPECIFATIONS

PACKING	1PC/SMALL BOX,10PCS/BIGGER BOX,200PCS/CTN	N.W./G.W./CUFT	7.6KGS/9.0KGS/1.2'
---------	---	----------------	--------------------



TY-600B



TY-600C



TY-600G



TY-600P



TY-600O

PACKING	1PC/SMALL BOX,10PCS / BIGGER BOX,200PCS/CTN	PACKING	1PC/SMALL BOX,10PCS / BIGGER BOX,200PCS/CTN
N.W./G.W./CUFT	14.6KGS/16KGS/1.2'	N.W./G.W./CUFT	12.0KGS/13.5KGS/1.2'



FH-102



FH-102A



FH-102B



FH-102C

PACKING	1PC/SMALL BOX,10PCS / BIGGER BOX,120PCS/CTN	PACKING	1PC/SMALL BOX,10PCS / BIGGER BOX,120PCS/CTN
N.W./G.W./CUFT	10.2KGS/12KGS/1.2'	N.W./G.W./CUFT	12.0KGS/14.0KGS/1.2'



FH-102PB



FH-102PC



FH-102P



FH-102MA



FH-102MB

Bank TALLY COUNTER

This bank tally counter comes in many variations ranged from 2-unit to 10-unit types convenient single reset knob allows all units to reset at the same time for almost all kinds of classifications and statistics such as a variety of merchandises



SPECIFICATIONS

ITEM NO.	PACKING	N.W./G.W./CUFT
M4502	1PC/INNER BOX, 50PC/CTN	10 KGS/11 KGS/0.92'
M4503	1PC/INNER BOX, 50PC/CTN	14 KGS/15 KGS/1.24'
M4504	1PC/INNER BOX, 30PC/CTN	11 KGS/12 KGS/1'
M4505	1PC/INNER BOX, 25PC/CTN	11.5 KGS/12.5 KGS/1'
M4506	1PC/INNER BOX, 25PC/CTN	13.5 KGS/15 KGS/1.16'
M4507	1PC/INNER BOX, 20PC/CTN	13 KGS/14 KGS/1.2'
M4508	1PC/INNER BOX, 20PC/CTN	14.5 KGS/16 KGS/1.2'
M4509	1PC/INNER BOX, 12PC/CTN	10 KGS/11 KGS/0.84'
M4510	1PC/INNER BOX, 12PC/CTN	11 KGS/12 KGS/0.84'

Machine COUNTER NEW TYPE

PACKING 1PCS/SMALL BOX,10PCS/BIGGER BOX

N.W./G.W./CUFT 9.8kgs/12kgs/1.2'



TRS-304 DIGITS:4



TRS-305 DIGITS:5

RS type Adjustable lever move any direction with 45 degree distance

LB type Indicates count-per-revolution



TRS-4



TRS-5



TRS-6



TLB-4



TLB-5



TLB-6

SPECIFATION SHEET

Item No	Digit	Reset	Mounting Size (L. x W. x Hole Dia.)	Digit Size	Max.Counting Speed	Weight
			mm	mm	cpm	G
TRS-4	4	Rotate to reset	37x23xØ4.1	3.5x5	600	98
TRS-5	5	Rotate to reset	37x30xØ4.1	3.5x5	600	110
TRS-6	6	Rotate to reset	37x33.6xØ4.1	3.5x5	600	118
TLB-4	4	Rotate to reset	37x23xØ4.1	3.5x5	4000	91
TLB-5	5	Rotate to reset	37x30xØ4.1	3.5x5	4000	98
TLB-6	6	Rotate to reset	37x33.6xØ4.1	3.5x5	4000	107

Machine COUNTER

SPECIFICATIONS

PACKING 1PCS/SMALL BOX,10PCS/BIGGER BOX

N.W./G.W./CUFT 11.8kgs/14.5kgs/0.83'



TRS-4(II) DIGITS:4



TRSL-4 DIGITS:4



TRSL-4(II) DIGITS:4

PACKING 1PCS/SMALL BOX,10PCS/BIGGER BOX

N.W./G.W./CUFT 13.2kgs/15.5kgs/0.88'



TRS-5(II) DIGITS:5



TRSL-5 DIGITS:5



TRSL-5(II) DIGITS:5

PACKING 1PCS/SMALL BOX,10PCS/BIGGER BOX

N.W./G.W./CUFT 14.2kgs/16.5kgs/0.93'



TRS-6(II) DIGITS:6



TRSL-6 DIGITS:6



TRSL-6(II) DIGITS:6

PACKING 1PCS/SMALL BOX,10PCS/BIGGER BOX

N.W./G.W./CUFT 14.0kgs/16.0kgs/1.1



RS-102-5 DIGITS:5



LB-102-5 DIGITS:5

Measuring COUNTERS MS TYPE

Our company manufacture high-precision measuring counters and made by precision gears , high precision and accurate, besides, long-time working is not easy to breakdown.



it is applicable to all kinds of textile machinery , such as loom, plastic knitting machines , knitting machines, weaving machine , installation is simple.

SPECIFICATIONS

TYPE	MS-3:1-5/5R(yd) MS-3:10-5/5R(0.1yd)	TYPE	MS-3:1-5/5R(m) MS-3:10-5/5R(10cm)
PACKING	1PC/CORRUGATED BOARD BOX, 12PCS/CTN	PACKING	1PC/CORRUGATED BOARD BOX, 12PCS/CTN
N.W./G.W./CUFT	6.3KGS/8.3KGS/1.1'	N.W./G.W./CUFT	6.3KGS/8.5KGS/1.1'



MS-3:1-5/5R MS-3:10-5/5R



SPECIFICATION SHEET

Item No	Digit	Rotation	Min. Unit	Max.Calculation Capacity	Reset	Mounting Size (L.XW.X Hole Dia.)	Digit Size	Max.Counting Speed	Accuracy	Weight
						mm	mm	m per minute	N.m	g
MS 3:1-4	4	Clockwise	1m	9,999m	Press to reset	51×92.4×Ø6	4.5×6.5	300	0.003	534
MS 3:1-5	5	Clockwise	1m	99,999m	Press to reset	51×92.4×Ø6	4.5×6.5	300	0.003	534
MS 3:10-4	4	Clockwise	10cm	999m90cm	Press to reset	51×92.4×Ø6	4.5×6.5	30	0.003	534
MS 3:10-5	5	Clockwise	10cm	9,999m90cm	Press to reset	51×92.4×Ø6	4.5×6.5	30	0.003	534
MS 3:1-4R	4	Anit-clockwise	1m	9,999m	Press to reset	51×92.4×Ø6	4.5×6.5	300	0.003	534
MS 3:1-5R	5	Anit-clockwise	1m	99,999m	Press to reset	51×92.4×Ø6	4.5×6.5	300	0.003	534
MS 3:10-4R	4	Anit-clockwise	10cm	999m90cm	Press to reset	51×92.4×Ø6	4.5×6.5	30	0.003	534
MS 3:10-5R	5	Anit-clockwise	10cm	9,999m90cm	Press to reset	51×92.4×Ø6	4.5×6.5	30	0.003	534

Measuring COUNTERS BM TYPE

Our company manufacture high-precision measuring counters and made by precision gears , high precision and accurate, besides, long-time working is not easy to breakdown.


it is applicable to all kinds of textile machinery , such as loom, plastic knitting machines , knitting machines, weaving machine , installation is simple.

SPECIFICATIONS

TYPE	BM-3:1-5/5R(yd) BM-3:10-5/5R(0.1yd)	TYPE	BM-3:1-5/5R(m) BM-3:10-5/5R(10cm)
PACKING	1PC/CORRUGATED BOARD BOX, 12PCS/CTN	PACKING	1PC/CORRUGATED BOARD BOX, 12PCS/CTN
N.W./G.W./CUFT	5.2KGS/7.2KGS/1.1'	N.W./G.W./CUFT	5.4KGS/7.4KGS/1.1'



BM-3:1-5/5R BM-3:10-5/5R



SPECIFICATION SHEET

Item No	Digit	Rotation	Min. Unit	Max.Calculation Capacity	Reset	Mounting Size (L.XW.X Hole Dia.)	Digit Size	Max.Counting Speed	Accuracy	Weight
						mm	mm	m per minute	N,m	g
BM 3:1-4	4	Clockwise	1m	9,999m	Press to reset	62.8×52×Ø4.2	4.5×6.5	300	0.003	432
BM 3:1-5	5	Clockwise	1m	99,999m	Press to reset	62.8×52×Ø4.2	4.5×6.5	300	0.003	432
BM 3:10-4	4	Clockwise	10cm	999m90cm	Press to reset	62.8×52×Ø4.2	4.5×6.5	30	0.003	432
BM 3:10-5	5	Clockwise	10cm	9,999m90cm	Press to reset	62.8×52×Ø4.2	4.5×6.5	30	0.003	432
BM 3:1-4R	4	Anit-clockwise	1m	9,999m	Press to reset	62.8×52×Ø4.2	4.5×6.5	300	0.003	432
BM 3:1-5R	5	Anit-clockwise	1m	99,999m	Press to reset	62.8×52×Ø4.2	4.5×6.5	300	0.003	432
BM 3:10-4R	4	Anit-clockwise	10cm	999m90cm	Press to reset	62.8×52×Ø4.2	4.5×6.5	30	0.003	432
BM 3:10-5R	5	Anit-clockwise	10cm	9,999m90cm	Press to reset	62.8×52×Ø4.2	4.5×6.5	30	0.003	432



TAIWAN COUNTER INDUSTRY CO., LTD



No. 15, Lane 71, Sec. 5, Hankou Rd. Beitun Dist., Taichung City 40650 Taiwan

Mailing:P.O.BOX 63-156

Tel:886-4-2238-8823 Fax:886-4-2238-8914

E-mail:tcicounters@yahoo.com.tw | counter.tci1281@msa.hinet.net

www.tci-counter.com